The Scientist's Workflow Optimization Guide

A practical introduction to streamlining results, experiments, and collaboration, no matter what tools you're using now



Structure, clarity, and more time for research

Created for Scientists in R&D, analytics, and academia



2025 EDITION



Welcome to the Scientist's Workflow Optimization Guide!

If you're working in research or analytical science, you're not looking for another rigid system. You're already managing shifting priorities, experiments in progress, and time-consuming data entry. All while trying to keep work reusable and findable for collaborators.

This guide is designed to be a working resource. You'll find practical insights and tools to help reduce friction in your workflows and move from scattered notes to shared clarity without adding complexity.

Think of it as a working session in writing: focused, tested, and based on how scientists actually work. It reflects real lab dynamics , where the pressure to move fast often outpaces the systems meant to support you.

We'll highlight patterns that scale, process improvements that don't burn your team out.

Here and there we will show practical examples of how Scifeon helps labs go from dashboard chaos and review delays to real-time visibility, alignment, and trust across QA, scientists, and stakeholders.

We address what is rarely found on public roadmaps: decisions take too long, reporting isn't connected, and the same updates get repeated in three different formats. That's not a software issue : it's a structure issue.

What's needed isn't reinvention, it's modular clarity. Tools that adapt instead of disrupt. Dashboards that show what matters. And digital workflows that let lab leaders see further, act faster, and scale smarter.

We'll show you how to introduce traceable, modular structure into your work, so you can focus on the science, not the admin.

Have a nice read!

the Scifeon Team

About Scifeon

Scifeon ApS Vandtårnsvej 62A, 1st floor, Section E DK-2860 Søborg, Denmark

Contact Us Phone: +45 4541 0000 Email: scifeon@scifeon.com Support: support@scifeon.com



What Happens When Notes, Results, and Context Drift Apart

As a scientist, you need to focus on progress, but often your data lives across disconnected notebooks, spreadsheets, or team folders. Results are hard to find later. Notes lose context. Reporting slows down momentum.

Even in high-performing labs, collaboration becomes fragile when documentation is inconsistent or spread across systems.

You don't need more disconnected tools: you need one system that brings context, data, and documentation together. fewer manual steps, fewer copy-paste routines, and one place where your work, results, and notes stay linked.

What Strategic Visibility Looks Like

- Teams can access the same experiment details without duplication
- Results update in real time across collaborators
- Delays or missing data are flagged automatically
- You can retrieve key insights or raw data without

redoing work

This isn't a theory, it's already in practice. One R&D

<u>Signs It's Time for Strategic Lab</u> <u>Insight</u>

- Results are still collected and shared in Excel
- Teams ask "Where's that data?" more than once
- Experiment status isn't clear until someone manually checks in

If this sounds familiar, your lab may benefit from operational transparency tools. group used Scifeon to unify experiment notes, results, and timelines, reducing rework by 40% and eliminating version mismatch across collaborators.

Diagnosing Where Research Gets Stuck Before improving your scientific workflows, ask:

- 1. Where are results or experiment data copied manually across tools or files?
- 2. Where do team members struggle to access what's already been done?
- 3. Where are decisions or observations buried in notebooks, emails, or folders?

Mapping these pain points gives you the blueprint for modularization.

How to Start Modularizing

Spot the Repetition	Identify tasks or results that get copied across files or manually sent in updates
Unify the Context	Link experiments, metadata, and outcomes in one view, without rewriting your process
Create Shared Dashboards	Design ELNs and dashboards for what each role needs : scientists, team leads, collaborators
Refine and Reuse	Use feedback to evolve your modules. What works in one project can scale to the next







Make Transparency Part of the Workflow

Transparency isn't just for compliance: it's about understanding what's happening in your research, without chasing it down.

But in many labs, visibility is reactive. Updates come through scattered notes, Slack messages, or weekly meetings. Experiments stall without clear owners, and results don't get reused because no one knows where they are.

Scifeon helps make visibility a built-in part of your research process: connecting what you already track and showing it to the right people, in the right format.

Let's break this down:

- Scientists need to know what's blocking their next step
- Team leads want to check experiment status without digging through folders
- Collaborators should see which version of results is current
- Project managers or external partners need timely, structured updates

If your lab only surfaces this information in shared drives or status meetings, you're already losing time and risking version mismatch.

Here's what it looks like in a modernized, insight-ready lab:





Three Signs You're Ready to Clean Up Your Workflow

- You're copying results into and from Excel just to share them and doing it more than once
- You've lost time because a colleague used the wrong version of an experiment
- People keep asking for updates on things you've already done, because they can't see it themselves

If you're seeing any of those, your lab is likely already paying the cost of not acting.

What to Do in the Next 30 Days

1. Pick one recurring frustration.

e.g., Data entry copied across tools, approval delays, or scattered files

2. Describe the ideal state.

One live view showing experiment status, metadata, and owner

3. Prototype it.

Use Scifeon's visual builder to test a clean, reusable workflow. No coding needed

4. Deploy it to one pilot team.

Run the new setup with one project or team. Measure how much time and back-and-forth it saves

5. Decide to expand, or iterate.

If it works, reuse it in other workflows. If not, tweak it with your team and try again

Final Word

You don't need to rebuild your research workflows. You just need one working setup that reduces friction and makes progress visible.

Scifeon helps scientists link results, notes, and tasks into traceable, flexible flows without disrupting how science actually happens.

Visit <u>www.scifeon.com</u> or book a <u>working session</u> with our lab systems team to find out more.



How Scientists Can Build Better Visibility

Scientific clarity starts with small improvements, not big overhauls. You don't need to revamp everything. You need one clean process that shows what better looks like.

This 4-step plan helps you turn repeated manual effort into a live, connected research view, without changing the way you think or work. On the right side, you can read how i played out in a real-world Biotech Lab Scenario.



Spot the Friction

Identify tasks or results that get copied across tools or manually sent in updates

ſ	7
1	1

Select a Workflow

Pick a research process where visibility would reduce confusion or errors

• • •	0	1000
\sim	0	N

Build a Shared View

Use Scifeon to link results, metadata, and ownership into a live, traceable workl-

V	-	-
V	-	-
_	-	_

Test in a Project

Run the setup with one team. Measure how much time and back-and-forth it saves In a mid-sized biotech R&D team, fermentation data for strain development was spread across handwritten notebooks, Excel sheets on shared drives, and separate pH/DO readouts exported from instrument software.

Issues they faced:

- Researchers spent 20–30 minutes per run copying time-series data manually into templates
- Metadata like strain ID, medium composition, and operator notes were stored in separate formats
- Deviations (e.g. foam-over events, sensor drift) were inconsistently documented or lost entirely
- Team members had to ask the primary operator to clarify conditions, even days after the experiment

How the shared workflow improved the process:

- A simple Scifeon instance was configured to link experiment setup, run data, and metadata in one dashboard
- Instrument exports were attached directly to the run and auto-tagged by batch and strain
- Technicians added real-time observations (e.g., "adjusted antifoam at 4h mark") directly into a traceable entry
- The team lead had a live view of all active fermentations, including status, assigned user, and quality notes

Outcome:

- Average documentation time was reduced by ~40%
- Cross-team questions about conditions or results dropped significantly
- A deviation trend was identified across three runs something previously missed due to scattered records

Modular Lab Starter Planner

Use this planner to break one messy, manual process into a modular structure. It's not about complexity. It's about making research steps easier to follow, reuse, and improve.

Identify a Candidate Workflow

- Think of a recurring process in your lab that causes rework or slows things down.
- What's the task? (e.g., Sample setup for new fermentation runs)
- What triggers it? (e.g., New client request or experimental condition)
 - Why is it painful? (e.g., Parameters vary by user, data captured inconsistently, unclear file versioning

List the key steps, people involved, and tools used today.				
Step	Responsible	Tools Used	Notes	
Inoculum prep	Technician	SOP printout, Excel log	Batch info added manually	
Fermentation start	Scientist	Notebook, CSV file	Parameters copied from last run	

Map the Current Flow

Define the

Modular

Future State

Spot the Repetition or Variation

Plan Your First Modular Prototype

• Where does this workflow break down?

- Input data changes often?
- Approval steps vary by team or project?
- Output formats inconsistent?Communication unclear?
- Communication unclea
 Other pain painto?
- Other pain points?

Focus on one part of the process that can be made repeatable, traceable, and flexible. What would it look like if this step worked smoothly every time? Ask:

• What should be consistent across every run?

(e.g., required metadata, approvers, report format)

• What needs to remain configurable?

(e.g., strain ID, sample volume, analysis type)

Choose one part of the workflow to digitize or modularize this month.

Module to build:	Owner	Tools needed:	Target Launch Date	Review Check in Date:
(e.g., sample intake form with dynamic fields)		(e.g., Scifeon Workflow Builder)		

Assess Your Lab's Readiness: A Mini Framework



Self-assessment only matters if it leads to progress. Most scientific teams already know where the bottlenecks are , they just don't have time or structure to fix them.

This framework is built to help scientists start small: by identifying one low-performing area and improving it with a light, flexible prototype. Not to judge ,but to move forward, one step at a time.

Step 1: Take the Assessment

Score your lab 1-5 in each of the categories below:

Category	Questions to Ask	Score (1–5)
Workflow Agility	Can we adapt an experiment workflow or template in under a week?	
Traceability	Can we link key results to original inputs, metadata, and notes?	
Collaboration	Can other team members find and reuse data without having to ask for context?	
Data Consistency	Are results, observations, and protocols stored in one reliable format?	
Experiment Handover	Can another scientist resume or build on this work without gaps or guessing?	

Step 2: Choose a Focus Area

Pick the lowest-scoring item above. This becomes your starting point for change. Examples:

- If Traceability scored lowest: your first goal might be to standardize how metadata is captured and linked to results
- If Experiment Handover scored lowest: map where critical details go missing between collaborators

Assess Your Lab's Readiness: A Mini Framework



Step 3: Draft a 30-Day Plan

Use this worksheet with your team to improve one key area of your workflow

Focus Area	Pain Point	First Fix	Who Owns It	Check-In Date
Traceability	Can't track test-to-result lineage	Istructured metadata fields to ELN input forms	QA Lead	[Date]
Experiment Handover	Colleagues repeat steps due to unclear context	Create a shared dashboard with sample status	Project Manager	[Date]

Tool Tip: Scifeon's modular setup allows most of these fixes to be tested within days , without touching your core systems.

Step 4: Follow Up and Refine

In 30 days:

- Measure: Did the issue improve? Can you show impact?
- Adjust: If not, does the fix need refinement, or is the root cause deeper?

What Success Looks Like

By working through one category at a time, you build momentum. Within 90 days, teams often see:

- 30-50% less time spent locating or re-documenting data
- Fewer clarification emails between colleagues
- Reduced duplication across experiments
- · Faster onboarding of new team members into workflows

Digital maturity isn't a checkbox. It's a system that adapts with you. This framework gives you a way to build that system , starting right where you are.



Transparency Sprint Canvas



Use this 1-week sprint to test whether a shared, live view can reduce uncertainty, duplication, and confusion in your research workflow.

Sprint Timeframe	
Start Date	
End Date	
Owner	

1. Define the Visibility Problem

What status questions does your team answer manually , over and over?				
Repeated questions or delays:	Other examples:			
1. "Has the culture been harvested?"				
2. "Did QA finish the review?"				
3. "Where are the files from Run 3?"				
4. "Which version of the experiment is current?"				
5. "Did anyone annotate the deviation at hour 5?"				

2. Choose One Pilot Workflow

Focus on one process where live status could make an immediate difference.		
Pilot Workflow:	(e.g., sample approval, release testing, deviation review)	
Why this one?	(e.g., high volume, high risk, lots of email churn)	




Transparency Sprint Canvas




3. Build a Shared View

Design what this live status view should include for you and your team.



Where will it live?

- A dynamic view inside your ELN with live status fields
- A read-only tracker embedded in Microsoft Teams or SharePoint
- A structured view generated from metadata tags (e.g., experiment status + user + timestamp)
- A hybrid view linking Scifeon and existing Excel tracking sheets for gradual transition ...



Other R	equireme	nts?	

4. Go Live and Observe

Commit to running t	he pilot dashboard or visibility tool for one week.
What worked well?	
What feedback did you receive?	
What was clearer or faster than before?	

Collaboration Clarity Tracker Where visibility breaks down — and how to fix it.



Use this tracker to uncover where your work becomes unclear to others, and where shared views or structured data can reduce questions, delays, and rework.

1. What Are People Asking You Again and Again?

Question Type	Example	How Often?	Manual Effort Involved to answer?
Status Request	<i>"Is the latest run complete?"</i>	Daily / Weekly / Occasionally	Low / Medium / High
Data location	<i>"Where are the latest results from batch 42?"</i>		
Conditions used	"Was this strain grown in M9 or LB?"		
Ownership	"Who annotated this deviation?"		
Version tracking	"Which protocol did you use for this one?"		

2. Where Is This Information Stored Today?

Information Type	Tool or Format	Is it shared?	Updated How Often?
Sample Status	ELN / Excel / Notebook	Daily / Weekly / Occasionally	Low / Medium / High
Raw results	Instrument exports / CSV		
Observations & notes	Paper / Post-its / Email		
Versions / templates	Not standardized / Local files		

3. Friction Points You Can Eliminate

These are high-effort tasks that drain team time and affect client trust. Fixing them creates instant ROI.

Friction	Impact	Potential Fix	Time to Implement
Sample Status /QA review updates via email	Slows reuse, causes errors	Share a Scifeon dashboard link	1–2 days
Conditions recorded inconsistently	Invalidates comparisons	Use parameter templates	1 week
Observations not linked to data	Context is lost	Add structured comment fields in ELN	2–3 days





4. Build a Scifeon- Enabled Visibility Plan

Choose what to improve, how to make it visible, and what to monitor.

Once you've identified a repeated question, missing handover, or misaligned status, use this mini plan to implement a practical visibility upgrade that reduces effort for everyone.

What You Want to Make Visible	To Whom	How Will It Be Shared?	Check-In Date
Run status (e.g., in progress, done)	Team members / LabOps	Scifeon dashboard or shared tracker view	
Notes & deviations with context	QA / Scientists	Live comments in ELN	
Sample-to-resul t lineage	Project Manager / Analyst	Linked record with metadata path	

How to Use It:

Start with one row. Build a basic shared view or linked field that answers the repeated question at a glance. After 2–3 cycles, assess:

- Are people still asking?
- Did you reduce handovers or clarification loops?
- What could be structured better next time?

This builds confidence that your work is not just stored : it's accessible and understood.

Scientific Traceability Scorecard



This scorecard helps identify weak points in your scientific documentation: the kind that slow down reviews, cause questions, or create confusion during audits, internal reviews, or collaborations.

Whether you're GLP, ISO, or just trying to keep things defensible: good science needs good traceability.

1. Can someone else understand and reuse your work?

Rate each area on a scale of 1–5. Be honest: this is for improvement, not judgment.

Area	Questions to Ask	Score (1–5)
Sample-to-result traceability	<i>Can we trace results back to the raw sample and batch setup?</i>	
Parameter tracking	Are all key parameters recorded consistently (not just in free text)?	
Protocol versioning	<i>Do we know which version of the protocol was used in each run?</i>	
Observation capture	Are real-time notes and deviations documented and linked to the correct step/result?	
Data storage format	Are raw data files archived in a format that allows retrieval + interpretation later?	
Handover continuity	Can another scientist resume this work without asking for clarification?	
Notes completeness	Are your notes complete enough that a reviewer could understand what happened?	

What to Do With It

- Low scores (1-2) = start small: standardize just one input form or output step
- Mid scores (3) = test a shared workflow or tracking template
- High scores (4-5) = document what's working and reuse it elsewhere

You don't need to be audit-certified to think like a reviewer. You just need to make your science easy to follow for yourself and others.





2. Is your experiment traceable and reproducible?

Traceability isn't just about good documentation. It's about preserving scientific intent. Reproducibility means more than repeating a protocol; it requires clarity of assumptions, decisions, and conditions.

Use this as a self-check on the structural integrity of your experimental records:

Traceability Criteria	Yes	No	Partial
Is metadata consistently captured using controlled fields (e.g., strain, batch, operator)?			
Can the sequence of actions be reconstructed, including the rationale for changes?			
Are deviations systematically logged with timestamps, impact, and contextual notes?			
Are procedural steps, results, and annotations linked, not scattered across systems?			
Could another scientist replicate your work without asking you to explain what happened?			

Interpretation:

If you're answering "Partial" more than once, you're not alone: most labs improvise context daily.


But reproducibility starts with reducing the need for memory or clarification. That's where structured workflows help.





5. Decide Next Steps

At the end of the sprint, use this to make your next move.



Or improve before scaling?

Document feedback, blockers, and quick wins – and make a decision.

Final Note:

Clarity in the lab isn't just about data. It's about reducing hesitation and repetition. One shared view can save hours of backtracking.

This sprint gives your lab a way to test and prove that , in one focused, fast cycle.



From Scientific Friction to Clean Fixes – One Module at a Time

Even experienced labs rely on workarounds: copy-paste routines, repeated explanations, version mismatches. But small, modular fixes drawn from real-world labs can significantly reduce that friction.

Use this planner to identify a high-impact weak point and choose a proven corrective pattern that can be implemented in **days**, **not months**.

3. High-Impact Fixes Labs Can Apply This Month

What's Missing or Risky	Best Practice Fix	Owner
Protocol version confusion	Implement version-controlled templates in Scifeon ELN	[Name]
Sample metadata varies across team members	Use structured intake forms with controlled vocabularies	[Name]
Observations stored in notebooks or email	Enable real-time notes entry directly in experiment run dashboards	[Name]
Data stored separately from experiment context	Link raw data to method + outcome using sample-to-result relationship mapping	[Name]
Deviations only noted if asked	Trigger auto-deviation prompts when thresholds are exceeded	[Name]

PRO Tip:

Each fix above represents a low-barrier module : something that can be scoped, tested, and refined in 1-2 weeks. Most don't require new infrastructure , just smarter use of what you already track.





What It's Like to Work with Scifeon Built for Real Lab Workflows

Scifeon is designed to support your lab's operations without disrupting existing processes. It's a modular, cloud-based system that brings LabOps, QA, and project teams onto one secure, compliant platform fully adapted to the realities of CDMO and GxP environments.

¥	目前の単位	Welcome to Scifeon + Dashboard		
♠ Q	F Fermentation			
÷	Visualization	Л	B	
	Data Management Browse Data	Create Experiment	Manage Data	Upload Data
田 F			3	
ili				
		Data overview		
		Experiments Procedures Request	s Projects	
		Name Title	Status 🖷 Type	Created By Last Modified
		Sample Intake Sample Intake	Draft Registration	S.BAILLIERE 11-Apr-2025, 10:28
		PR00002 Downstream Exam		S.JJB 27-Nov-2024, 08:52
		PR00001 Fermentation Exam	nple Active Fermentation	S.JJB 27-Nov-2024, 08:51
				View all procedures →

The interface is intuitive and tailored to roles: whether you're in the lab, in QA, or managing projects, you see exactly what you need: nothing more, nothing less.





Scifeon: Your Reliable Digital Lab Platform for R&D and Compliance

Scifeon is a secure, scalable, and configurable platform built for the demands of R&D labs in biotech, pharma, CROs, and CDMOs. It enables organizations to standardize lab workflows, digitize documentation, and ensure data integrity and compliance from day one.

Developed by scientists, proven in regulated environments, and trusted by growing and global companies alike, Scifeon combines technical flexibility with operational control without long implementation times or complex IT dependencies.

Core Platform Features for Modern Labs

	R-lest_softeen.clsud/#/entity/Project/P2J0001	a 🖈 🍘 🖉 👌 🛔 Update allactication
No.det	Project	JCOpenCommo Research Manual Property / Eal the Property
Manage Proless ment a vener	Aspirine QC Status ywai Hierara CC Wolffor - Anz France Design França Da Jan 2013, 17, 40, Asprogr 113 New Cortil 2016 Statulizers (0, a 10) mariatario Davidentificano v 4 pl 71 New 73 Aur Cortil 2016 Statulizers (0, a 10)	
	Tipe Other Other Department Depar	Soften 1944-7225 -
	Address (and Mennangers) (abled Desser, (b) B.) U. A. An (b) - (b) (4) (c) - (c) (4) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
	Kelling same Ali Jano Selling Ali Jano Selling Ali Jano Selling Ali Jano Selling Ali Jano Selling Cir Classe Factoria Cir Classe Factoria Same Selling Cir Selling Cir Selling Cir Selling	
	ing page boot	
scifeon	Silver Golbert (200) Set Start11	

Electronic Lab Notebook (ELN)

Record experiments using structured workflows, templates, and traceable results. Built-in version control, calculations, and sample links ensure complete documentation.



Workflow Automation & Team Collaboration

Digital SOPs, controlled task assignment, and automated data entry reduce human error and support consistent execution across teams.

	//sophama-it-dast.sofeon.doud/#/viv/template/E00006	a # 40 ·	D 3 Update absolution
Realized and the second	Phoene Proceedure Theorem		Procedure Details Name PROSE2 The Dominismen Stample Tger Dominismen Status Draft Represent Configurations @
	Reps		
	Hann M Bardadh Handadh Hannan, Bardadh Hannan, Shife and San Talar. A Statement, Shife and San	1 Minut Inset	13 Samples - 14 Enclosures - Dunne Ellegen Zourtet (Same
	1 Step: Scope of the experiment		
	2 Step: List of buffers		
	3 Step: Sumpling for Analytical Development		
	4 Step: Parameters for chromatography by Protein A resin		
	5 Step: List of equipment		
	6 Step: Columnspecifications and Starting material		
	7 Step: CIP and EQ before & between run		
	8 Step: Chromatography step		
	9 Step: Post-Elution Processing (Before low pH virus inactivation)		
	10 Step: OP method for Protein A revin after use		
scifeon	11 One Viru inscholar		

Template Configuration – Tailor workflows to each client or process, without coding.

		elv/hemplane/\$X00006					D 3 Update situation
Manage Regions	+ Add side	territoria					Procedure Details New Process Tale Downsen Campie Tale Downsen Tale Downsen Date Downsen
	Stept						
				Padilo I Cronding			tarpin (- Hitsbury - methods) (Sameri Anton
	1 Step: Scope of the	e experiment					
	2 Step: List of buffe	875	(ari internet internet internet internet) in the	faired instants for many			1-
	2 Step: List of buffe The following solutions of Density Q 1 (test)	ers It is used for the dominant list and the formed bet given in N (when (over	certaint local and a first state of the 20 t	C bland interfering			
	2 Step: List of buffe The following solutions of Density Q 1 (test)	ers The and The part descention of African in the part is following our Type Other	Carl An Inscission and Reference of Marce 19 1	C falangi pang terberanan	and the	-	
	2 Step: List of buffe The following solutions of Density Q 1 (test)	ers The cost for part account in an effective and point in the other set for the demonstration runs.			inety Ingel 10 mpt Data Mano 17 mpt Mar Tout	-	
	2 Step: List of buffe The following solutions of Destries Q 1 (hes) II 2 1 Required solution	ers (In case they a become second of Action Compares in Note Com- Space Dome was for the demonstration runs.	Lifer viet	Set In.	Pring & - 1P regit Earlier Adhen - 1P regit		
	2 Step: List of buffe The forward subset of Destrict Or 1 singly 2 11 Repared solution	99 19 and Tarya Amerikan and Amerikan point is Universe Market Tarya State State Sector Amerikan Amerikan Amerikan Market	Shiry with resources	Deal Dy	Hung 4 - (27 un)2 Extended Autor - (27 un) W.M Name Hank 4 - (27 Autor - (27		
	2 Step: List of buffs The latency science of Destrict Q 1 (m)() II 11 Reserved exciton Networks A pro-	Ver Version of Taylor demonstration and All antice are point in United and Weight and the demonstration news.	Directed and the second	Set 19, 1 year	Nug.4-10*ngi Dark Monie - OF weiß Mol.4-10*ngi Nug.4-10* Nug.4-10* Stark - OF Openk Monie - OF Openk Monie - OF Øff - Normine Øff - Normine Øff - Normine Øff - Normine		

Procedure Templates – Automate SOPs and repeatable processes with full audit trail.





Sample & Inventory Management

Track materials, reagents, and biological samples across projects and storage locations.

5			09												
100			OPteractual layout Centered layout												
	Selected Entities														
0	Fermientation Analysis	Hde													
ŝ	Connected Entities	-					1		all and						
	1 He	Show All Hide All Show Hide						-							
	1 Republications	Show Hide					-	States of States							
	a second second second	and the second			E.E.	-	1 200 E 8			-	-	-	contra A	Report Tree Spring	
	17 Sample	Show Hide		Second Se	Column Sailonnasi Sail	the second second	the lower of the late	second law in	the free of	the families	the Conceptor	from I successive the	a Property lies	In Ferdines	
	1 3846	Show Hide													
1	1 Shair	Show Hide													
	Actions The action of the association														
-	sampies														~
	1 Mine Sections	Type	100.0	Define Trainant	100 Tahari Pere	Codest	(neise)	1000	inen.		lane.	in the second second	-		-
	500089	Fermentation	Active	12-Aug-2021 13-Aug-2021	12-Aug-2021, 14:43 Vial 13-Aug-2021, 00:43 Vial										0009
		Fermentation	Active	13-Aup 2021	13-Aug-2021, 10:43 Vial										0009
11	\$00091		Active	13-Aug-2021	13-Aug-2021, 20:43 Vial										0009
H	500091 500092	Fermentation													
L		Fermentation Fermentation	Active	14-Aug-2021	14 Aug 2021, 06:43 Vial									FRM	0009
l	500092				14 Aug-2021, 06:43 Vial 14 Aug-2021, 16:43 Vial 15 Aug-2021, 02:43 Vial									FRM	0009

Ensure full traceability and readiness for audits.

C ti ht	ps://sdpharma-it-test.sd/eon.douid/#/sin/template/EX00005	역 🏟 🌈 P 🗄 🔮 Updare absorbinitio									
	Loter-Tere of Ferendation Inter	Picodan Dialh									
	No. Normality										
	The formers I Center										
	a schere in single scheme. Presente Name 4) and Space Name 24) and Space Name										
	the Borney - F4 Li and and F4 Li and and										
	A Character Assessed from the second se	Ni									
	2 Lifeware weights										
	Manual D Manual D Manual Manual D										
	Image: Section 1 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 Image: Section 2 <										
	Software										
	Advant Managara India Advant										

Sample Registration & Date Tracking – Keep full traceability of material use across projects.






Dashboards & Reporting

Collect data directly from lab instruments (e.g. FACS, HPLC, bioreactors). Visualize key metrics such as assay trends and project progress.



Build an Run live graphical dashboards on any data points in the system within minutes.




Export seamlessly to Excel, Power BI, or Spotfire.



A Typical Day with Scifeon: From Sample Intake to Result Approval and Reporting

Scifeon is designed to support your lab's operations without disrupting existing processes. It's a modular, cloud-based system that brings LabOps, QA, and project teams onto one secure, compliant platform – fully adapted to the realities of CDMO and GxP environments.



Our team works closely with yours to map your existing processes, identify points of friction, and co-design a solution that integrates with your current setup. Whether you're looking to streamline QA, improve visibility, or enhance traceability.





Scifeon's Cloud-Hosted Architecture

Scifeon delivered is as а secure. hosted cloud-based application on Microsoft Azure. Its architecture is based on a three-tier model that separates the user interface, application logic, and data storage This enables scalability, . compliance with maintainability, and regulatory standards.


Security & Compliance

- End-to-end encryption (in transit and at rest)
- Role-based access (RBAC)
- Audit trail with versioning and timestamped user actions
- Hosted in ISO 27001 and GxP-compliant Azure infrastructure

Integration & Maintenance

- Supports API-based and file-based integration with LIMS, ELNs, MES
- No local installation required
- System updates and maintenance handled by Scifeon

The architecture ensures controlled, secure, and transparent workflows across the lab with minimal disruption to existing systems.







Instrument & System Integration

Collect data directly from lab instruments (e.g. FACS, HPLC, bioreactors). Use open APIs and prebuilt connectors to integrate with your existing ecosystem.

Secure File Upload – Attach validated protocols, forms, or batch records directly to projects.

Scifeon seamlessly connects with a wide range of Instruments, Scripting Languages, and Analytics Platforms.

This ensures smooth Data Flow across your Lab Ecosystem. Whether through direct SQL, HTTP APIs, or OData Protocols, our Integrations enable Automation, Analysis, and enhanced Decision-making.



Scifeon Instrument Hub

Scifeon's in-house developed Instrument Hub streamlines data acquisition, management, and instrument connectivity. Designed to eliminate manual data entry and ensure seamless integration with Scifeon LIMS & ELN.



- Automated Data Capture
- Supports balances, pH meters, conductivity meters, and more.
- Error-Free Processing
- Standardized workflows ensure data accuracy.
- Seamless Instrument Integration
- Centralized, real-time data access.
- Live Monitoring & Alerts





Built for the DACH Market Reliable, Compliant, Adaptable

Quick Implementation

Configured and deployed in just a few weeks – cloud-hosted in the EU or installed on-premise. Ideal for teams that need results fast without IT overhead.

GxP-Ready from Day One

Full support for 21 CFR Part 11 and EU GMP: e-signatures, audit trails, access controls, and ALCOA+ data principles.

Low-Code Customization

Adapt data models, workflows, and interfaces using configuration or scripting. Easily evolve with your processes, not against them.

Enterprise-Grade Architecture

Each instance is single-tenant and secure. Built with scalable Microsoft-based technology (SQL Server, ASP.NET Core, TypeScript frontend).

Ultra -Responsive Support

Our dedicated team is reachable through the built- in Feedback functionality directly from within the application. Very fast reponse and assistance times.



Before You Go...

Where Digital Transformation Becomes Practical

This guide doesn't aim to cover every detail of a full implementation.

Instead, we hope it has offered a starting point, and perhaps taken away some of the hesitation around lab digitalization.

Scifeon was built to make digital transformation approachable, fast, and grounded in real lab work. With hands-on deliverables, quick implementation, and flexible workflows, we aim to support your team in making real improvements, one step at a time.

Digital lab performance is within reach. Let's take the first step together.

BOOK A DEMO OR GET IN TOUCH

About Scifeon

Scifeon ApS Vandtårnsvej 62A, 1st floor, Section E DK-2860 Søborg, Denmark

> Contact Us Phone: +45 4541 0000 Email: scifeon@scifeon.com Support: support@scifeon.com

Scifeon DACH: Arne Bailliere , Head of Market Expansion DACH bailliere@scifeon.com Phone: + 49 175 979 73 08

